

# PISTON AND RING SPECIFICATIONS

All measurements are given in inches.

Year	Engine			Ring Gap			Ring Side Clearance		
	Displacement Liters (cc)	Engine ID/VIN	Piston Clearance	Top	Bottom	Oil	Top	Bottom	Oil
				Compression	Compression	Control	Compression	Compression	Control
1990	1.6 (1597)	B6E	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.6 (1597)	B6ZE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	1.8 (1839)	BPE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.8 (1839)	BPD	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0028	NA
	2.2 (2184)	F2	0.0014- 0.0030	0.0080- 0.0138	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	3.0 (2954)	JE	0.0019- 0.0026	0.0080- 0.0140	0.0060- 0.0120	0.0080- 0.0280	①	①	NA
1991	1.6 (1597)	B6E	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.6 (1597)	B6ZE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0180	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	1.8 (1839)	BPE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.8 (1839)	BPD	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0028	NA
	2.2 (2184)	F2	0.0014- 0.0030	0.0080- 0.0138	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	3.0 (2954)	JE	0.0019- 0.0026	0.0080- 0.0140	0.0060- 0.0120	0.0080- 0.0280	①	①	NA
1992	1.6 (1597)	B6E	0.0015- 0.0020	0.0060- 0.0120	②	0.0080- 0.0280	0.0012- 0.0026	③	NA
	1.6 (1597)	B6ZE	0.0015- 0.0020	0.0060- 0.0120	0.0120- 0.0180	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	1.8 (1839)	BPE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.8 (1839)	BPD	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0028	NA
	1.8 (1839)	K8D	0.0011- 0.0022	0.0060- 0.0110	0.0100- 0.0150	0.0080- 0.0280	0.0080- 0.0026	0.0012- 0.0026	NA
	2.2 (2184)	F2	0.0014- 0.0030	0.0080- 0.0140	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	3.0 (2954)	JE	0.0009- 0.0020	0.0080- 0.0140	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
1993	1.6 (1597)	B6E	0.0015- 0.0020	0.0060- 0.0120	②	0.0080- 0.0280	0.0012- 0.0026	③	NA
	1.6 (1597)	B6ZE	0.0015- 0.0020	0.0060- 0.0120	0.0120- 0.0180	0.0080- 0.0280	0.0012- 0.0028	0.0012- 0.0028	NA
	1.8 (1839)	BPE	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0026	NA
	1.8 (1839)	BPD	0.0015- 0.0020	0.0060- 0.0120	0.0060- 0.0120	0.0080- 0.0280	0.0012- 0.0026	0.0012- 0.0028	NA
	1.8 (1839)	K8D	0.0011- 0.0022	0.0060- 0.0110	0.0100- 0.0150	0.0080- 0.0280	0.0080- 0.0026	0.0012- 0.0026	NA